

Author Index / Index des auteurs

- Au, V.C.S., see Graham, J., 69.
- Baikie, L.D. Safety factors and limit states analysis in geotechnical engineering: Discussion, 143.
- Baikie, L.D. Total and partial factors of safety in geotechnical engineering, 477.
- Barron, K.E., see Bertok, J., 258.
- Bentley, S.P., see Carter, M., 234.
- Bertok, J., and Barron, K.E. Vibration measurements during foundation test installation at Vancouver International Airport, 258.
- Blown, I., and Church, M. Catastrophic lake drainage within the Homathko River basin, British Columbia, 551.
- Booker, J.R., see Rowe, R.K., 429.
- Boonsinsuk, P., see Quigley, R.M., 491.
- Boonsinsuk, P., see Yong, R.N., 541.
- Bovis, M.J. Earthflows in the Interior Plateau, southwest British Columbia, 313.
- Bovis, M.J., Dagg, B., and Kaye, D. Debris flows and debris torrents in the Southern Canadian Cordillera: Discussion, 608.
- Brand, E.W., see Shen, J.M., 419.
- Brown, P.T., see Robertson, P.K., 518.
- Burn, K.N., see Legget, R.F., 483.
- Caldwell, J.A., see Morris, D.V., 17.
- Campanella, R.G., see Robertson, P.K., 518.
- Carter, M., and Bentley, S.P. The geometry of slip surfaces beneath landslides: predictions from surface measurements, 234.
- Caswell, R.H., and Trak, B. Some geotechnical characteristics of fragmented Queenston Shale, 403.
- Chahal, R., see Kenney, T.C., 32.
- Chakrabarti, S., and Horvath, R.G. Slope of consolidation lines, 254.
- Cherry, J.A., see Johnston, H.M., 6.
- Cherry, J.A., see Dubrovsky, N.M., 110.
- Chiu, E., see Kenney, T.C., 32.
- Christiansen, E.A., see Sauer, E.K., 195.
- Chugh, A.K., and Von Thun, J.L. Pore pressure response analysis for earthquakes, 466.
- Church, M., see Blown, I., 551.
- Crooks, J.H.A., see Folkes, D.J., 357.
- Cruden, D.M. Destructive mass movements in high mountains: hazard and management, Geological Survey of Canada Paper 84-16, 426.
- Cruden, D.M. Rock slope movements in the Canadian Cordillera, 528.
- Dagg, B., see Bovis, M.J., 608.
- D'Hollander, R.D., see Sladen, J.A., 564.
- D'Hollander, R.D., see Sladen, J.A., 579.
- Douville, S., see Lefebvre, G., 508.
- Driscoll, D.D., see Shuri, F.S., 136.
- Dubrovsky, N.M., Cherry, J.A., Reardon, E.J., and Vityurka, A.J. Geochemical evolution of inactive pyritic tailings in the Elliot Lake uranium district, 110.
- Egashira, K., see Ohtsubo, M., 241.
- Eisenstein, Z., see Evgin, E., 177.
- Ejze, S., see Harrop-Williams, K., 437.
- El Sharnouby, B., and Novak, M. Static and low-frequency response of pile groups, 79.
- Evans, S.G., see Hung, O., 246.
- Evgin, E., and Eisenstein, Z. Performance of an elastoplastic model, 177.
- Fenelli, G.B., and Picarelli, L. Deficient pore pressures in an eroding soil mass: Discussion, 422.
- Fernandez, F., and Quigley, R.M. Hydraulic conductivity of natural clays permeated with simple liquid hydrocarbons, 205.
- Folkes, D.J., and Crooks, J.H.A. Effective stress paths and yielding in soft clays below embankments, 357.
- Franklin, J.A., and Pearson, D. Rock engineering for construction of Science North, Sudbury, Ontario, 443.
- Freeze, R.A., see Rulon, J.J., 347.
- Garner, S.J., see Shuri, F.S., 136.
- Gillham, R.W., see Johnston, H.M., 6.
- Goodings, D.J., and Schofield, A.N. A centrifugal model study of slope instability in Ottawa area Champlain Sea clay, 102.
- Graham, J., and Au, V.C.S. Effects of freeze-thaw and softening on a natural clay at low stresses, 69.

- Grof, I., see Robertson, P.K., 518.
- Hanley, T.O'D. Electrical freezing potentials and corrosion rates in clay sludge, 599.
- Hanna, T.H., see Mohamed, M.K., 456.
- Hansen, S.B., see Larsen, J.O., 166.
- Harman, J., see Russell, D.J., 1.
- Harrop-Williams, K., and Ejazie, S. Stochastic description of undrained soil strength, 437.
- Henry, J.L., see Hogg, T.J., 249.
- Hillis, S.F., see Morris, D.V., 17.
- Hogg, T.J., and Henry, J.L. The use of hydraulic rotary drill cuttings to determine salt content of sediments, 249.
- Horvath, R.G. Multiple loading method for field testing drilled piers, 592.
- Horvath, R.G., see Chakrabarti, S., 254.
- Horvath, R.G., Kenney, T.C., and Kozicki, P. Methods of improving the performance of drilled piers in weak rock: Reply, 147.
- Hughes, J.M.O., see Robertson, P.K., 518.
- Hughes, J.M.O., and Robertson, P.K. Full-displacement pressuremeter testing in sand, 298.
- Humphries, R.W., and Jory, L.T. Underground design at Andekaleka Hydroelectric Development, 25.
- Hungr, O., and Evans, S.G. An example of a peat flow near Prince Rupert, British Columbia, 246.
- Ismael, N.F. Allowable pressure from loading tests on Kuwaiti soils, 151.
- Jenness, S.E. How to write and publish engineering papers and reports, 427.
- Johnston, H.M., Gillham, R.W., and Cherry, J.A. Distribution coefficients for strontium and cesium in overburden at a storage area for low-level radioactive waste, 6.
- Jory, L.T., see Humphries, R.W., 25.
- Kaye, D., see Bovis, M.J., 608.
- Kenney, T.C., see Horvath, R.G., 147.
- Kenney, T.C., and Lau, D. Internal stability of granular filters, 215.
- Kenney, T.C., Chahal, R., Chiu, E., Ofoegbu, G.I., Omange, G.N., and Ume, C.A. Controlling constriction sizes of granular filters, 32.
- Kjartanson, B.H., see Thomson, S., 286.
- Koppula, S.D. On stability of slopes in clays with linearly increasing strength: Reply, 418.
- Koppula, S.D. On stability of slopes in clays with linearly increasing strength: Reply, 422.
- Kozicki, P., see Horvath, R.G., 147.
- Krahn, J., see Yoshida, R.T., 277.
- Krahn, J., see Sladen, J.A., 564.
- Krahn, J., see Sladen, J.A., 579.
- Langlois, P., see Lefebvre, G., 264.
- Larsen, J.O., McClung, D.M., and Hansen, S.B. The temporal and spatial variation of snow pressure on structures, 166.
- Lau, D., see Kenney, T.C., 215.
- Lavallée, J.G., see Paré, J.J., 186.
- Lavallée, J.-G., see Lefebvre, G., 264.
- Lefebvre, G., see Rosenberg, P., 409.
- Lefebvre, G., Rohan, K., and Douville, S. Erosivity of natural intact structured clay: Evaluation, 508.
- Lefebvre, G., Langlois, P., Lupien, C., and Lavallée, J.-G. Laboratory testing and *in situ* behaviour of peat as embankment foundation: Reply, 264.
- Legget, R.F., and Burn, K.N. Archival material and site investigations, 483.
- Lessard, G., and Mitchell, J.K. The causes and effects of aging in quick clays, 335.
- Levacher, D. Pénétromètre à chute libre: Impact et pénétration dans des argiles reconstituées, 129.
- Little, T.E. An evaluation of steel fibre reinforced shotcrete for underground support, 501.
- Lo, K.Y., see Ng, R.M.C., 375.
- Lun, P.T.W., and Parkin, A.K. Consolidation behaviour determined by the velocity method, 158.
- Lupien, C., see Lefebvre, G., 264.
- McClung, D.M., see Larsen, J.O., 166.
- Meyerhof, G.G. Safety factors and limit states analysis in geotechnical engineering: Reply, 145.
- Meyerhof, G.G., and Purkayastha, R.D. Ultimate pile capacity in layered soil under eccentric and inclined loads, 399.
- Meyerhof, G.G., and Sastry, V.V.R.N. Bearing capacity of rigid piles under eccentric and inclined loads, 267.
- Mitchell, D.E., see Sladen, J.A., 579.
- Mitchell, J.K., see Lessard, G., 335.
- Mohamed, M.K., and Hanna, T.H. Pressure-injected anchors in sand: load and creep behaviour, 456.
- Morgenstern, N.R., see Sego, D.C., 226.
- Morris, D.V., Hillis, S.F., and Caldwell, J.A. Improvement of sensitive silty clay by electroosmosis, 17.
- Nakase, A. On stability of slopes in clays with linearly increasing strength: Discussion, 417.
- Ng, R.M.C., and Lo, K.Y. The measurements of soil parameters relevant to tunnelling in clays, 375.
- Nguyen, V.U. Safety factors and limit states analysis in geotechnical engineering: Discussion, 144.
- Novak, M., see El Sharnouby, B., 79.
- Ofoegbu, G.I., see Kenney, T.C., 32.
- Ohtsubo, M., Egashira, K., and Takayama, M. Properties of a low-swelling smectitic marine clay of interest in oil engineering, 241.

- Olsen, H.W. Osmosis: a cause of apparent deviations from Darcy's law, 238.
- Orange, G.N., see Kenney, T.C., 32.
- Paré, J.-J., see Rosenberg, P., 409.
- Paré, J.J., et Lavallée, J.G. Excavation d'argile sensible au site de l'aménagement hydroélectrique LG-2, 186.
- Parkin, A.K., see Lun, P.T.W., 158.
- Patterson, D.E., and Smith, M.W. Unfrozen water content in saline soils: results using time-domain reflectometry, 95.
- Pearson, D., see Franklin, J.A., 443.
- Picarelli, L., see Fenelli, G.B., 422.
- Provençal, J., see Rosenberg, P., 409.
- Purkayastha, R.D., see Meyerhof, G.G., 399.
- Quigley, R.M., see Fernandez, F., 205.
- Quigley, R.M., Sethi, A.J., Boonsinsuk, P., Sheeran, D.E., and Yong, R.N. Geologic control on soil composition and properties, Lake Ojibway clay plain, Matagami, Quebec, 491.
- Reardon, E.J., see Dubrovsky, N.M., 110.
- Robertson, P.K., see Hughes, J.M.O., 298.
- Robertson, P.K., Campanella, R.G., Brown, P.T., Grof, I., and Hughes, J.M.O. Design of axially and laterally loaded piles using *in situ* tests: A case history, 518.
- Rohan, K., see Lefebvre, G., 508.
- Rosenberg, P., Provençal, J., Lefebvre, G., and Paré, J.-J. Influence of the groundwater on the stability of a clay bank in Baie James, Québec, 409.
- Rowe, R.K., and Booker, J.R. Two-dimensional pollutant migration in soils of finite depth, 429.
- Rowe, R.K., and Soderman, K.L. An approximate method for estimating the stability of geotextile-reinforced embankments, 392.
- Rulon, J.J., and Freeze, R.A. Multiple seepage faces on layered slopes and their implications for slope-stability analysis, 347.
- Russell, D.J., and Harman, J. Fracture frequency in mudrocks: an example from the Queenston Formation of southern Ontario, 1.
- Samson, L. Postconstruction settlement of an expressway built on peat by precompression, 308.
- Sastry, V.V.R.N., see Meyerhof, G.G., 267.
- Sauer, E.K., and Christiansen, E.A. A landslide in till near Warman, Saskatchewan, Canada, 195.
- Schofield, A.N., see Goodings, D.J., 102.
- Sego, D.C., and Morgenstern, N.R. Punch indentation of polycrystalline ice, 226.
- Sethi, A.J., see Quigley, R.M., 491.
- Sheeran, D.E., see Quigley, R.M., 491.
- Shen, J.M., and Brand, E.W. On stability of slopes in clays with linearly increasing strength: Discussion, 419.
- Shuri, F.S., Driscoll, D.D., and Garner, S.J. Controlled displacement-rate *in situ* shear tests with pore pressure measurements, 136.
- Sladen, J.A., D'Hollander, R.D., and Krahn, J. The liquefaction of sands, a collapse surface approach, 564.
- Sladen, J.A., D'Hollander, R.D., Krahn, J., and Mitchell, D.E. Back analysis of the Nerlerk berm liquefaction slides, 579.
- Smith, M.W., see Patterson, D.E., 95.
- Soderman, K.L., see Rowe, R.K., 392.
- Stacey, T.R., and Wrench, B.P. The convergence meter, 604.
- Stewart, W. Uplift capacity of circular plate anchors in layered soil, 589.
- Takayama, M., see Ohtsubo, M., 241.
- Taylor, P.W. Methods of improving the performance of drilled piers in weak rock: Discussion, 145.
- Thomson, S. Glacial geology. An introduction for engineers and earth scientists, 149.
- Thomson, S., and Kjartanson, B.H. A study of delayed failure in a cut slope in stiff clay, 286.
- Trak, B., see Caswell, R.H., 403.
- Trow, B. Methods of improving the performance of drilled piers in weak rock: Discussion, 146.
- Ume, C.A., see Kenney, T.C., 32.
- Vaid, Y.P. Effect of consolidation history and stress path on hyperbolic stress-strain relations, 172.
- VanDine, D.F. Debris flows and debris torrents in the Southern Canadian Cordillera, 44.
- VanDine, D.F. Airphoto interpretation and the Canadian landscape, 265.
- VanDine, D.F. Debris flows and debris torrents in the Southern Canadian Cordillera: Reply, 609.
- Vivryurka, A.J., see Dubrovsky, N.M., 110.
- Von Thun, J.L., see Chugh, A.K., 466.
- Williams, P.J., and Wood, J.A. Internal stresses in frozen ground, 413.
- Wood, J.A., see Williams, P.J., 413.
- Wrench, B.P., see Stacey, T.R., 604.
- Yiotis, D., see Yong, R.N., 541.
- Yong, R.N., see Quigley, R.M., 491.
- Yong, R.N., Boonsinsuk, P., and Yiotis, D. Creep behaviour of a buffer material for nuclear fuel waste vault, 541.
- Yoshida, R.T., and Krahn, J. Movement and stability analysis of the Beaver Creek landslide, Saskatchewan, Canada, 277.

Subject Index / Index des matières¹

A. General

02. *Historical Aspects*

Archival material and site investigations. Legget, R.F., and Burn, K.N., 483.

03. *Information Services and Literature Classification*

How to write and publish engineering papers and reports. Jenness, S.E., 427.

Archival material and site investigations. Legget, R.F., and Burn, K.N., 483.

04. *Textbooks, Handbooks, and Periodicals*

Glacial geology. An introduction for engineers and earth scientists. Thomson, S., 149.

Airphoto interpretation and the Canadian landscape. VanDine, D.F., 265.

Destructive mass movements in high mountains: hazard and management, Geological Survey of Canada Paper 84-16. Cruden, D.M., 426.

How to write and publish engineering papers and reports. Jenness, S.E., 427.

08. *Professional Ethics, Legal Requirements, Codes of Practice, and Standardization*

Safety factors and limit states analysis in geotechnical engineering: Discussion. Baikie, L.D., 143.

Safety factors and limit states analysis in geotechnical engineering: Discussion. Nguyen, V.U., 144.

Safety factors and limit states analysis in geotechnical engineering: Reply. Meyerhof, G.G., 145.

B. Geological and Environmental Aspects

01. *Formation of Soils and Rocks*

Some geotechnical characteristics of fragmented Queenston Shale. Caswell, R.H., and Trak, B., 403.

Geologic control on soil composition and properties, Lake Ojibway clay plain, Matagami, Quebec. Quigley, R.M., Sethi, A.J., Boonsinsuk, P., Sheeran, D.E., and Yong, R.N., 491.

02. *Hydrogeological Aspects*

Fracture frequency in mudrocks: an example from the Queenston Formation of southern Ontario. Russell, D.J., and Harman, J., 1.

Distribution coefficients for strontium and cesium in overburden at a storage area for low-level radioactive waste. Johnston, H.M., Gillham, R.W., and Cherry, J.A., 6.

A centrifugal model study of slope instability in Ottawa area Champlain Sea clay. Goodings, D.J., and Schofield, A.N., 102.

Geochemical evolution of inactive pyritic tailings in the Elliot Lake uranium district. Dubrovsky, N.M., Cherry, J.A., Reardon, E.J., and Vivyurka, A.J., 110.

Hydraulic conductivity of natural clays permeated with simple liquid hydrocarbons. Fernandez, F., and Quigley, R.M., 205.

Multiple seepage faces on layered slopes and their implications for slope-stability analysis. Rulon, J.J., and Freeze, R.A., 347.

Influence of the groundwater on the stability of a clay bank in Baie James, Québec. Rosenberg, P., Provençal, J., Lefebvre, G., and Paré, J.-J., 409.

Catastrophic lake drainage within the Homathko River basin, British Columbia. Blown, I., and Church, M., 551.

03. *Mass Movements and Land Subsidence*

Debris flows and debris torrents in the Southern Canadian Cordillera. VanDine, D.F., 44.

A landslide in till near Warman, Saskatchewan, Canada. Sauer, E.K., and Christiansen, E.A., 195.

An example of a peat flow near Prince Rupert, British Columbia. Hungr, O., and Evans, S.G., 246.

Movement and stability analysis of the Beaver Creek landslide, Saskatchewan, Canada. Yoshida, R.T., and Krahn, J., 277.

Earthflows in the Interior Plateau, southwest British Columbia. Bovis, M.J., 313.

Multiple seepage faces on layered slopes and their implications for slope-stability analysis. Rulon, J.J., and Freeze, R.A., 347.

Influence of the groundwater on the stability of a clay bank in Baie James, Québec. Rosenberg, P., Provençal, J., Lefebvre, G., and Paré, J.-J., 409.

Destructive mass movements in high mountains: hazard and management, Geological Survey of Canada Paper 84-16. Cruden, D.M., 426.

¹Based on the International Geotechnical Classification System (IGC) as revised in 1981.

- Rock slope movements in the Canadian Cordillera. Cruden, D.M., 528.
 Catastrophic lake drainage within the Homathko River basin, British Columbia. Blown, I., and Church, M., 551.
 Debris flows and debris torrents in the Southern Canadian Cordillera: Discussion. Bovis, M.J., Dagg, B., and Kaye, D., 608.
 Debris flows and debris torrents in the Southern Canadian Cordillera: Reply. VanDine, D.F., 609.
05. *Climatic Conditions*
 The temporal and spatial variation of snow pressure on structures. Larsen, J.O., McClung, D.M., and Hansen, S.B., 166.
 Rock slope movements in the Canadian Cordillera. Cruden, D.M., 528.
06. *Submarine Geological Aspects*
 Properties of a low-swelling smectitic marine clay of interest in oil engineering. Ohtsubo, M., Egashira, K., and Takayama, M., 241.
09. *Geomorphologic Aspects and Terrain Classification*
 Debris flows and debris torrents in the Southern Canadian Cordillera. VanDine, D.F., 44.
 Glacial geology. An introduction for engineers and earth scientists. Thomson, S., 149.
 An example of a peat flow near Prince Rupert, British Columbia. Hungr, O., and Evans, S.G., 246.
 Airphoto interpretation and the Canadian landscape. VanDine, D.F., 265.
 Geologic control on soil composition and properties, Lake Ojibway clay plain, Matagami, Quebec. Quigley, R.M., Sethi, A.J., Boonsinsuk, P., Sheeran, D.E., and Yong, R.N., 491.
 Catastrophic lake drainage within the Homathko River basin, British Columbia. Blown, I., and Church, M., 551.
 Debris flows and debris torrents in the Southern Canadian Cordillera: Discussion. Bovis, M.J., Dagg, B., and Kaye, D., 608.
 Debris flows and debris torrents in the Southern Canadian Cordillera: Reply. VanDine, D.F., 609.
10. *Mineralogical Aspects*
 Geochemical evolution of inactive pyritic tailings in the Elliot Lake uranium district. Dubrovsky, N.M., Cherry, J.A., Reardon, E.J., and Vivuyurka, A.J., 110.
 The causes and effects of aging in quick clays. Lessard, G., and Mitchell, J.K., 335.
 Geologic control on soil composition and properties, Lake Ojibway clay plain, Matagami, Quebec. Quigley, R.M., Sethi, A.J., Boonsinsuk, P., Sheeran, D.E., and Yong, R.N., 491.

C. Site Investigations

00. *General*
 Archival material and site investigations. Legget, R.F., and Burn, K.N., 483.
01. *Airphoto Surveys and Remote Sensing*
 Debris flows and debris torrents in the Southern Canadian Cordillera. VanDine, D.F., 44.
 A landslide in till near Warman, Saskatchewan, Canada. Sauer, E.K., and Christiansen, E.A., 195.
 Airphoto interpretation and the Canadian landscape. VanDine, D.F., 265.
 Earthflows in the Interior Plateau, southwest British Columbia. Bovis, M.J., 313.
 Rock slope movements in the Canadian Cordillera. Cruden, D.M., 528.
 Catastrophic lake drainage within the Homathko River basin, British Columbia. Blown, I., and Church, M., 551.
 Debris flows and debris torrents in the Southern Canadian Cordillera: Discussion. Bovis, M.J., Dagg, B., and Kaye, D., 608.
 Debris flows and debris torrents in the Southern Canadian Cordillera: Reply. VanDine, D.F., 609.
02. *Geophysical Surveys*
 A landslide in till near Warman, Saskatchewan, Canada. Sauer, E.K., and Christiansen, E.A., 195.
 Movement and stability analysis of the Beaver Creek landslide, Saskatchewan, Canada. Yoshida, R.T., and Krahn, J., 277.
03. *Probing (Soundings)*
 The geometry of slip surfaces beneath landslides: predictions from surface measurements. Carter, M., and Bentley, S.P., 234.
04. *Visual Exploration Techniques*
 Fracture frequency in mudrocks: an example from the Queenston Formation of southern Ontario. Russell, D.J., and Harman, J., 1.
05. *Boring Techniques and Equipment (cf. C 10)*
 The use of hydraulic rotary drill cuttings to determine salt content of sediments. Hogg, T.J., and Henry, J.L., 249.
07. *Measurement of Field Conditions (incl. Post-Construction Monitoring)*
 Distribution coefficients for strontium and cesium in overburden at a storage area for low-level radioactive waste. Johnston, H.M., Gillham, R.W., and Cherry, J.A., 6.
 Geochemical evolution of inactive pyritic tailings in the Elliot Lake uranium district. Dubrovsky, N.M., Cherry, J.A., Reardon, E.J., and Vivuyurka, A.J., 110.
 Excavation d'argile sensible au site de l'aménagement hydroélectrique LG-2. Paré, J.J., et Lavallée, J.G., 186.
 A landslide in till near Warman, Saskatchewan, Canada. Sauer, E.K., and Christiansen, E.A., 195.

The geometry of slip surfaces beneath landslides: predictions from surface measurements. Carter, M., and Bentley, S.P., 234.
 An example of a peat flow near Prince Rupert, British Columbia. Hungr, O., and Evans, S.G., 246.
 Movement and stability analysis of the Beaver Creek landslide, Saskatchewan, Canada. Yoshida, R.T., and Krahn, J., 277.
 A study of delayed failure in a cut slope in stiff clay. Thomson, S., and Kjartanson, B.H., 286.
 Full-displacement pressuremeter testing in sand. Hughes, J.M.O., and Robertson, P.K., 298.
 Earthflows in the Interior Plateau, southwest British Columbia. Bovis, M.J., 313.
 Multiple seepage faces on layered slopes and their implications for slope-stability analysis. Rulon, J.J., and Freeze, R.A., 347.
 Influence of the groundwater on the stability of a clay bank in Baie James, Québec. Rosenberg, P., Provençal, J., Lefebvre, G., and Paré, J.-J., 409.
 Rock slope movements in the Canadian Cordillera. Cruden, D.M., 528.
 Multiple loading method for field testing drilled piers. Horvath, R.G., 592.

08. *Field Testing (Excl. tests for engineering properties, see Groups D and F)*

Allowable pressure from loading tests on Kuwaiti soils. Ismael, N.F., 151.

09. *Presentation of Results*

Archival material and site investigations. Legget, R.F., and Burn, K.N., 483.

10. *Underwater Site Investigations*

Properties of a low-swelling smectitic marine clay of interest in oil engineering. Ohtsubo, M., Egashira, K., and Takayama, M., 241.

D. Soil Properties: Laboratory and In-Situ Determinations

00. *General*

Stochastic description of undrained soil strength. Harrop-Williams, K., and Ejezie, S., 437.

01. *Classification and Description of Soils*

A landslide in till near Warman, Saskatchewan, Canada. Sauer, E.K., and Christiansen, E.A., 195.

Some geotechnical characteristics of fragmented Queenston Shale. Caswell, R.H., and Trak, B., 403.

02. *Physico-Chemical Properties*

Improvement of sensitive silty clay by electroosmosis. Morris, D.V., Hillis, S.F., and Caldwell, J.A., 17.

Geochemical evolution of inactive pyritic tailings in the Elliot Lake uranium district. Dubrovsky, N.M., Cherry, J.A., Reardon, E.J., and Vivyurka, A.J., 110.

Hydraulic conductivity of natural clays permeated with simple liquid hydrocarbons. Fernandez, F., and Quigley, R.M., 205.

Osmosis: a cause of apparent deviations from Darcy's law. Olsen, H.W., 238.

The use of hydraulic rotary drill cuttings to determine salt content of sediments. Hogg, T.J., and Henry, J.L., 249.

The causes and effects of aging in quick clays. Lessard, G., and Mitchell, J.K., 335.

Two-dimensional pollutant migration in soils of finite depth. Rowe, R.K., and Booker, J.R., 429.

Geologic control on soil composition and properties, Lake Ojibway clay plain, Matagami, Quebec. Quigley, R.M., Sethi, A.J., Boonsinsuk, P., Sheeran, D.E., and Yong, R.N., 491.

Electrical freezing potentials and corrosion rates in clay sludge. Hanley, T. O'D., 599.

03. *Composition, Structure, Density, and Water Contents*

Unfrozen water content in saline soils: results using time-domain reflectometry. Patterson, D.E., and Smith, M.W., 95.

04. *Hydraulic Properties*

Controlling constriction sizes of granular filters. Kenney, T.C., Chahal, R., Chiu, E., Ofoegbu, G.I., Omenge, G.N., and Ume, C.A., 32.

Hydraulic conductivity of natural clays permeated with simple liquid hydrocarbons. Fernandez, F., and Quigley, R.M., 205.

Internal stability of granular filters. Kenney, T.C., and Lau, D., 215.

Osmosis: a cause of apparent deviations from Darcy's law. Olsen, H.W., 238.

Multiple seepage faces on layered slopes and their implications for slope-stability analysis. Rulon, J.J., and Freeze, R.A., 347.

Erosivity of natural intact structured clay: Evaluation. Lefebvre, G., Rohan, K., and Douville, S., 508.

The liquefaction of sands, a collapse surface approach. Sladen, J.A., D'Hollander, R.D., and Krahn, J., 564.

Back analysis of the Nerlerk berm liquefaction slides. Sladen, J.A., D'Hollander, R.D., Krahn, J., and Mitchell, D.E., 579.

05. *Compressibility and Swelling*

Effects of freeze-thaw and softening on a natural clay at low stresses. Graham, J., and Au, V.C.S., 69.

Allowable pressure from loading tests on Kuwaiti soils. Ismael, N.F., 151.

Consolidation behaviour determined by the velocity method. Lun, P.T.W., and Parkin, A.K., 158.

Effect of consolidation history and stress path on hyperbolic stress-strain relations. Vaid, Y.P., 172.

Properties of a low-swelling smectitic marine clay of interest in oil engineering. Ohtsubo, M., Egashira, K., and Takayama, M., 241.

Slope of consolidation lines. Chakrabarti, S., and Horvath, R.G., 254.

Laboratory testing and *in situ* behaviour of peat as embankment foundation: Reply. Lefebvre, G., Langlois, P., Lupien, C., and Lavallée, J.-G., 264.

- The measurements of soil parameters relevant to tunnelling in clays. Ng, R.M.C., and Lo, K.Y., 375.
 Creep behaviour of a buffer material for nuclear fuel waste vault. Yong, R.N., Boonsinsuk, P., and Yiotis, D., 541.
- 06. Shear-Deformation and Strength Properties**
 Improvement of sensitive silty clay by electroosmosis. Morris, D.V., Hillis, S.F., and Caldwell, J.A., 17.
 Effects of freeze-thaw and softening on a natural clay at low stresses. Graham, J., and Au, V.C.S., 69.
 Controlled displacement-rate *in situ* shear tests with pore pressure measurements. Shuri, F.S., Driscoll, D.D., and Garner, S.J., 136.
 Effect of consolidation history and stress path on hyperbolic stress-strain relations. Vaid, Y.P., 172.
 Performance of an elastoplastic model. Evgin, E., and Eisenstein, Z., 177.
 Excavation d'argile sensible au site de l'aménagement hydroélectrique LG-2. Paré, J.J., et Lavallée, J.G., 186.
 A study of delayed failure in a cut slope in stiff clay. Thomson, S., and Kjartanson, B.H., 286.
 Full-displacement pressuremeter testing in sand. Hughes, J.M.O., and Robertson, P.K., 298.
 Effective stress paths and yielding in soft clays below embankments. Folkes, D.J., and Crooks, J.H.A., 357.
 The measurements of soil parameters relevant to tunnelling in clays. Ng, R.M.C., and Lo, K.Y., 375.
 Stochastic description of undrained soil strength. Harrop-Williams, K., and Ejezie, S., 437.
 Creep behaviour of a buffer material for nuclear fuel waste vault. Yong, R.N., Boonsinsuk, P., and Yiotis, D., 541.
 The liquefaction of sands, a collapse surface approach. Sladen, J.A., D'Hollander, R.D., and Krahn, J., 564.
 Back analysis of the Nerlerk berm liquefaction slides. Sladen, J.A., D'Hollander, R.D., Krahn, J., and Mitchell, D.E., 579.
 Multiple loading method for field testing drilled piers. Horvath, R.G., 592.
- 07. Dynamic Properties**
 Improvement of sensitive silty clay by electroosmosis. Morris, D.V., Hillis, S.F., and Caldwell, J.A., 17.
 Pénéromètre à chute libre: Impact et pénétration dans des argiles reconstituées. Levacher, D., 129.
 Vibration measurements during foundation test installation at Vancouver International Airport. Bertok, J., and Barron, K.E., 258.
 Pore pressure response analysis for earthquakes. Chugh, A.K., and Von Thun, J.L., 466.
- 08. Thermal Properties**
 Unfrozen water content in saline soils: results using time-domain reflectometry. Patterson, D.E., and Smith, M.W., 95.
 Internal stresses in frozen ground. Williams, P.J., and Wood, J.A., 413.
- 09. Compactibility**
 Controlling constriction sizes of granular filters. Kenney, T.C., Chahal, R., Chiu, E., Ofoegbu, G.I., Omenge, G.N., and Ume, C.A., 32.
 Internal stability of granular filters. Kenney, T.C., and Lau, D., 215.
- 10. Properties of Soil-Additive Mixtures**
 Hydraulic conductivity of natural clays permeated with simple liquid hydrocarbons. Fernandez, F., and Quigley, R.M., 205.

E. Analysis of Soil-Engineering Problems

- 00. General**
 Safety factors and limit states analysis in geotechnical engineering: Discussion. Baikie, L.D., 143.
 Safety factors and limit states analysis in geotechnical engineering: Discussion. Nguyen, V.U., 144.
 Safety factors and limit states analysis in geotechnical engineering: Reply. Meyerhof, G.G., 145.
- 01. Stress Analysis**
 Static and low-frequency response of pile groups. El Sharmouby, B., and Novak, M., 79.
 A centrifugal model study of slope instability in Ottawa area Champlain Sea clay. Goodings, D.J., and Schofield, A.N., 102.
- 02. Deformation and Settlement Problems**
 Consolidation behaviour determined by the velocity method. Lun, P.T.W., and Parkin, A.K., 158.
 Postconstruction settlement of an expressway built on peat by precompression. Samson, L., 308.
 Effective stress paths and yielding in soft clays below embankments. Folkes, D.J., and Crooks, J.H.A., 357.
- 03. Bearing Capacity of Shallow Foundations**
 Allowable pressure from loading tests on Kuwaiti soils. Ismael, N.F., 151.
 Punch indentation of polycrystalline ice. Sego, D.C., and Morgenstern, N.R., 226.
- 04. Bearing Capacity of Piles and other Deep Foundations**
 Static and low-frequency response of pile groups. El Sharmouby, B., and Novak, M., 79.
 Bearing capacity of rigid piles under eccentric and inclined loads. Meyerhof, G.G., and Sastry, V.V.R.N., 267.
 Ultimate pile capacity in layered soil under eccentric and inclined loads. Meyerhof, G.G., and Purkayastha, R.D., 399.
- 05. Earth Pressure Problems**
 Performance of an elastoplastic model. Evgin, E., and Eisenstein, Z., 177.
 The measurements of soil parameters relevant to tunnelling in clays. Ng, R.M.C., and Lo, K.Y., 375.

06. Stability of Slopes and Excavations

- Debris flows and debris torrents in the Southern Canadian Cordillera. VanDine, D.F., 44.
- Effects of freeze-thaw and softening on a natural clay at low stresses. Graham, J., and Au, V.C.S., 69.
- A centrifugal model study of slope instability in Ottawa area Champlain Sea clay. Goodings, D.J., and Schofield, A.N., 102.
- Geochemical evolution of inactive pyritic tailings in the Elliot Lake uranium district. Dubrovsky, N.M., Cherry, J.A., Reardon, E.J., and Vivyurka, A.J., 110.
- Excavation d'argile sensible au site de l'aménagement hydroélectrique LG-2. Paré, J.J., et Lavallée, J.G., 186.
- A landslide in till near Warman, Saskatchewan, Canada. Sauer, E.K. and Christiansen, E.A., 195.
- Movement and stability analysis of the Beaver Creek landslide, Saskatchewan, Canada. Yoshida, R.T., and Krahn, J., 277.
- A study of delayed failure in a cut slope in stiff clay. Thomson, S., and Kjartanson, B.H., 286.
- Multiple seepage faces on layered slopes and their implications for slope-stability analysis. Rulon, J.J., and Freeze, R.A., 347.
- Effective stress paths and yielding in soft clays below embankments. Folkes, D.J., and Crooks, J.H.A., 357.
- An approximate method for estimating the stability of geotextile-reinforced embankments. Rowe, R.K., and Soderman, K.L., 392.
- Influence of the groundwater on the stability of a clay bank in Baie James, Québec. Rosenberg, P., Provençal, J., Lefebvre, G., and Paré, J.-J., 409.
- On stability of slopes in clays with linearly increasing strength: Discussion. Nakase, A., 417.
- On stability of slopes in clays with linearly increasing strength: Reply. Koppula, S.D., 418.
- On stability of slopes in clays with linearly increasing strength: Discussion. Shen, J.M., and Brand, E.W., 419.
- On stability of slopes in clays with linearly increasing strength: Reply. Koppula, S.D., 422.
- Deficient pore pressures in an eroding soil mass: Discussion. Fenelli, G.B., and Picarelli, L., 422.
- Debris flows and debris torrents in the Southern Canadian Cordillera: Discussion. Bovis, M.J., Dagg, B., and Kaye, D., 608.
- Debris flows and debris torrents in the Southern Canadian Cordillera: Reply. VanDine, D.F., 609.

07. Seepage and other Hydraulic Problems

- Controlling constriction sizes of granular filters. Kenney, T.C., Chahal, R., Chiu, E., Ofoegbu, G.I., Omenge, G.N., and Ume, C.A., 32.
- Debris flows and debris torrents in the Southern Canadian Cordillera. VanDine, D.F., 44.
- Influence of the groundwater on the stability of a clay bank in Baie James, Québec. Rosenberg, P., Provençal, J., Lefebvre, G., and Paré, J.-J., 409.
- Debris flows and debris torrents in the Southern Canadian Cordillera: Discussion. Bovis, M.J., Dagg, B., and Kaye, D., 608.
- Debris flows and debris torrents in the Southern Canadian Cordillera: Reply. VanDine, D.F., 609.

08. Dynamic Problems

- Pore pressure response analysis for earthquakes. Chugh, A.K., and Von Thun, J.L., 466.

09. Frost Action and Heat-Transfer Problems

- Unfrozen water content in saline soils: results using time-domain reflectometry. Patterson, D.E., and Smith, M.W., 95.
- Internal stresses in frozen ground. Williams, P.J., and Wood, J.A., 413.

10. Analysis of Layered Systems and Pavements Behaviour

- Postconstruction settlement of an expressway built on peat by precompression. Samson, L., 308.
- An approximate method for estimating the stability of geotextile-reinforced embankments. Rowe, R.K., and Soderman, K.L., 392.

12. Soil-Structure Interaction

- An approximate method for estimating the stability of geotextile-reinforced embankments. Rowe, R.K., and Soderman, K.L., 392.

13. Mathematical Methods, Computer Analysis

- Effect of consolidation history and stress path on hyperbolic stress-strain relations. Vaid, Y.P., 172.
- Performance of an elastoplastic model. Evgin, E., and Eisenstein, Z., 177.
- Punch indentation of polycrystalline ice. Sego, D.C., and Morgenstern, N.R., 226.
- The measurements of soil parameters relevant to tunnelling in clays. Ng, R.M.C., and Lo, K.Y., 375.
- Two-dimensional pollutant migration in soils of finite depth. Rowe, R.K., and Booker, J.R., 429.
- Stochastic description of undrained soil strength. Harrop-Williams, K., and Ejezie, S., 437.
- Pore pressure response analysis for earthquakes. Chugh, A.K., and Von Thun, J.L., 466.
- Total and partial factors of safety in geotechnical engineering. Baikie, L.D., 477.
- Design of axially and laterally loaded piles using *in situ* tests: A case history. Robertson, P.K., Campanella, R.G., Brown, P.T., Grof, I., and Hughes, J.M.O., 518.
- Creep behaviour of a buffer material for nuclear fuel waste vault. Yong, R.N., Boonsinsuk, P., and Yiotis, D., 541.
- The liquefaction of sands, a collapse surface approach. Sladen, J.A., D'Hollander, R.D., and Krahn, J., 564.
- Back analysis of the Nerlerk berm liquefaction slides. Sladen, J.A., D'Hollander, R.D., Krahn, J., and Mitchell, D.E., 579.
- Uplift capacity of circular plate anchors in layered soil. Stewart, W., 589.

14. Model Test Analysis

- A centrifugal model study of slope instability in Ottawa area Champlain Sea clay. Goodings, D.J., and Schofield, A.N., 102.
- Pénétromètre à chute libre: Impact et pénétration dans des argiles reconstituées. Levacher, D., 129.
- Performance of an elastoplastic model. Evgin, E., and Eisenstein, Z., 177.
- Punch indentation of polycrystalline ice. Sego, D.C., and Morgenstern, N.R., 226.

- Vibration measurements during foundation test installation at Vancouver International Airport. Bertok, J., and Barron, K.E., 258.
 Pressure-injected anchors in sand: load and creep behaviour. Mohamed, M.K., and Hanna, T.H., 456.
 Uplift capacity of circular plate anchors in layered soil. Stewart, W., 589.

F. Rock Properties: Laboratory and *In-Situ* Determinations

01. *Classification and Description of Rocks and Rock Masses*
 Fracture frequency in mudrocks: an example from the Queenston Formation of southern Ontario. Russell, D.J., and Harman, J., 1.
 Underground design at Andekaleka Hydroelectric Development. Humphries, R.W., and Jory, L.T., 25.
 Rock engineering for construction of Science North, Sudbury, Ontario. Franklin, J.A., and Pearson, D., 443.
03. *Composition, Density, and Structural Features*
 Fracture frequency in mudrocks: an example from the Queenston Formation of southern Ontario. Russell, D.J., and Harman, J., 1.
 Some geotechnical characteristics of fragmented Queenston Shale. Caswell, R.H., and Trak, B., 403.
05. *Compressibility and Swelling*
 The convergence meter. Stacey, T.R., and Wrench, B.P., 604.
06. *Shear-Deformation and Strength Properties*
 Rock engineering for construction of Science North, Sudbury, Ontario. Franklin, J.A., and Pearson, D., 443.

G. Analysis of Rock-Engineering Problems

01. *Stress Analysis*
 Rock engineering for construction of Science North, Sudbury, Ontario. Franklin, J.A., and Pearson, D., 443.
02. *Deformation and Displacement Problems*
 Improvement of sensitive silty clay by electroosmosis. Morris, D.V., Hillis, S.F., and Caldwell, J.A., 17.
 Underground design at Andekaleka Hydroelectric Development. Humphries, R.W., and Jory, L.T., 25.
03. *Bearing Capacity of Rock Masses*
 Methods of improving the performance of drilled piers in weak rock: Discussion. Taylor, P.W., 145.
 Methods of improving the performance of drilled piers in weak rock: Discussion. Trow, B., 146.
 Methods of improving the performance of drilled piers in weak rock: Reply. Horvath, R.G., Kenney, T.C., and Kozicki, P., 147.
05. *Rock Pressure on Tunnels and Underground Openings*
 Underground design at Andekaleka Hydroelectric Development. Humphries, R.W., and Jory, L.T., 25.
 Rock engineering for construction of Science North, Sudbury, Ontario. Franklin, J.A., and Pearson, D., 443.
12. *Rock-Structure Interaction*
 Underground design at Andekaleka Hydroelectric Development. Humphries, R.W., and Jory, L.T., 25.
 Methods of improving the performance of drilled piers in weak rock: Discussion. Taylor, P.W., 145.
 Methods of improving the performance of drilled piers in weak rock: Discussion. Trow, B., 146.
 Methods of improving the performance of drilled piers in weak rock: Reply. Horvath, R.G., Kenney, T.C., and Kozicki, P., 147.
 An evaluation of steel fibre reinforced shotcrete for underground support. Little, T.E., 501.

H. Design, Construction, and Behaviour of Engineering Works

00. *General*
 Safety factors and limit states analysis in geotechnical engineering: Discussion. Baikie, L.D., 143.
 Safety factors and limit states analysis in geotechnical engineering: Discussion. Nguyen, V.U., 144.
 Safety factors and limit states analysis in geotechnical engineering: Reply. Meyerhof, G.G., 145.
01. *Foundations of Structures (other than dams)*
 Allowable pressure from loading tests on Kuwaiti soils. Ismael, N.F., 151.
 Vibration measurements during foundation test installation at Vancouver International Airport. Bertok, J., and Barron, K.E., 258.
 Bearing capacity of rigid piles under eccentric and inclined loads. Meyerhof, G.G., and Sastry, V.V.R.N., 267.
 Ultimate pile capacity in layered soil under eccentric and inclined loads. Meyerhof, G.G., and Purkayastha, R.D., 399.
 Total and partial factors of safety in geotechnical engineering. Baikie, L.D., 477.
 Design of axially and laterally loaded piles using *in situ* tests: A case history. Robertson, P.K., Campanella, R.G., Brown, P.T., Grof, I., and Hughes, J.M.O., 518.
 Multiple loading method for field testing drilled piers. Horvath, R.G., 592.

02. Retaining Structures and Cut-off Walls

- Pressure-injected anchors in sand: load and creep behaviour. Mohamed, M.K., and Hanna, T.H., 456.
 Total and partial factors of safety in geotechnical engineering. Baikie, L.D., 477.

03. Offshore Structures

- Properties of a low-swelling smectitic marine clay of interest in oil engineering. Ohtsubo, M., Egashira, K., and Takayama, M., 241.
 The liquefaction of sands, a collapse surface approach. Sladen, J.A., D'Hollander, R.D., and Krahn, J., 564.
 Back analysis of the Nerlerk berm liquefaction slides. Sladen, J.A., D'Hollander, R.D., Krahn, J., and Mitchell, D.E., 579.

04. Dams and Reservoirs

- Internal stability of granular filters. Kenney, T.C., and Lau, D., 215.
 Laboratory testing and *in situ* behaviour of peat as embankment foundation: Reply. Lefebvre, G., Langlois, P., Lupien, C., and Lavallée, J.-G., 264.

05. Tunnels and Underground Openings

- The measurements of soil parameters relevant to tunnelling in clays. Ng, R.M.C., and Lo, K.Y., 375.
 Rock engineering for construction of Science North, Sudbury, Ontario. Franklin, J.A., and Pearson, D., 443.
 An evaluation of steel fibre reinforced shotcrete for underground support. Little, T.E., 501.

06. Roads, Railroads and Airfields

- Postconstruction settlement of an expressway built on peat by precompression. Samson, L., 308.

07. Harbours, Canals, and Coastal Engineering Works

- Erosivity of natural intact structured clay: Evaluation. Lefebvre, G., Rohan, K., and Douville, S., 508.

09. Slopes and Unsupported Excavations

- Excavation d'argile sensible au site de l'aménagement hydroélectrique LG-2. Paré, J.J., et Lavallée, J.G., 186.
 The geometry of slip surfaces beneath landslides: predictions from surface measurements. Carter, M., and Bentley, S.P., 234.
 An example of a peat flow near Prince Rupert, British Columbia. Hungr, O., and Evans, S.G., 246.
 Movement and stability analysis of the Beaver Creek landslide, Saskatchewan, Canada. Yoshida, R.T., and Krahn, J., 277.
 A study of delayed failure in a cut slope in stiff clay. Thomson, S., and Kjartanson, B.H., 286.
 Earthflows in the Interior Plateau, southwest British Columbia. Bovis, M.J., 313.
 Multiple seepage faces on layered slopes and their implications for slope-stability analysis. Rulon, J.J., and Freeze, R.A., 347.
 Effective stress paths and yielding in soft clays below embankments. Folkes, D.J., and Crooks, J.H.A., 357.
 An approximate method for estimating the stability of geotextile-reinforced embankments. Rowe, R.K., and Soderman, K.L., 392.
 Influence of the groundwater on the stability of a clay bank in Baie James, Québec. Rosenberg, P., Provençal, J., Lefebvre, G., and Paré, J.-J., 409.
 On stability of slopes in clays with linearly increasing strength: Discussion. Nakase, A., 417.
 On stability of slopes in clays with linearly increasing strength: Reply. Koppula, S.D., 418.
 On stability of slopes in clays with linearly increasing strength: Discussion. Shen, J.M., and Brand, E.W., 419.
 On stability of slopes in clays with linearly increasing strength: Reply. Koppula, S.D., 422.
 Deficient pore pressures in an eroding soil mass: Discussion. Fenelli, G.B., and Picarelli, L., 422.
 Destructive mass movements in high mountains: hazard and management, Geological Survey of Canada Paper 84-16. Cruden, D.M., 426.
 Total and partial factors of safety in geotechnical engineering. Baikie, L.D., 477.
 Rock slope movements in the Canadian Cordillera. Cruden, D.M., 528.
 Catastrophic lake drainage within the Homathko River basin, British Columbia. Blown, I., and Church, M., 551.
 The liquefaction of sands, a collapse surface approach. Sladen, J.A., D'Hollander, R.D., and Krahn, J., 564.
 Back analysis of the Nerlerk berm liquefaction slides. Sladen, J.A., D'Hollander, R.D., Krahn, J., and Mitchell, D.E., 579.

10. Land Use

- Earthflows in the Interior Plateau, southwest British Columbia. Bovis, M.J., 313.
 Destructive mass movements in high mountains: hazard and management, Geological Survey of Canada Paper 84-16. Cruden, D.M., 426.
 Archival material and site investigations. Legget, R.F., and Burn, K.N., 483.
 Rock slope movements in the Canadian Cordillera. Cruden, D.M., 528.

K. Construction Methods and Equipment**02. Sealing and Grouting Processes**

- Internal stability of granular filters. Kenney, T.C., and Lau, D., 215.
 Creep behaviour of a buffer material for nuclear fuel waste vault. Yong, R.N., Boonsinsuk, P., and Yiotis, D., 541.

03. Preloading and Soil Replacement

- Postconstruction settlement of an expressway built on peat by precompression. Samson, L., 308.

04. Earthworks and Rock Excavation, Processing and Transportation

- A study of delayed failure in a cut slope in stiff clay. Thomson, S., and Kjartanson, B.H., 286.
The convergence meter. Stacey, T.R., and Wrench, B.P., 604.

06. Soil Stabilization and Erosion Control

- Internal stability of granular filters. Kenney, T.C., and Lau, D., 215.

07. Piles and Pile Driving, incl. Sheet Piles

- Pressure-injected anchors in sand: load and creep behaviour. Mohamed, M.K., and Hanna, T.H., 456.
Design of axially and laterally loaded piles using *in situ* tests: A case history. Robertson, P.K., Campanella, R.G., Brown, P.T., Grof, I., and Hughes, J.M.O., 518.

08. Construction of Caissons and Deep Piers

- Methods of improving the performance of drilled piers in weak rock: Discussion. Taylor, P.W., 145.
Methods of improving the performance of drilled piers in weak rock: Discussion. Trow, B., 146.
Methods of improving the performance of drilled piers in weak rock: Reply. Horvath, R.G., Kenney, T.C., and Kozicki, P., 147.

11. Support of Soil and Rock

- An evaluation of steel fibre reinforced shotcrete for underground support. Little, T.E., 501.

12. Offshore Construction

- The liquefaction of sands, a collapse surface approach. Sladen, J.A., D'Hollander, R.D., and Krahn, J., 564.
Back analysis of the Nerlerk berm liquefaction slides. Sladen, J.A., D'Hollander, R.D., Krahn, J., and Mitchell, D.E., 579.

S. Snow and Ice Mechanics and Engineering**00. General**

- Internal stresses in frozen ground. Williams, P.J., and Wood, J.A., 413.

03. Snow and Ice Engineering

- The temporal and spatial variation of snow pressure on structures. Larsen, J.O., McClung, D.M., and Hansen, S.B., 166.
Punch indentation of polycrystalline ice. Sego, D.C., and Morgenstern, N.R., 226.

T. Related Disciplines**02. Geosciences**

- Distribution coefficients for strontium and cesium in overburden at a storage area for low-level radioactive waste. Johnston, H.M., Gillham, R.W., and Cherry, J.A., 6.
Unfrozen water content in saline soils: results using time-domain reflectometry. Patterson, D.E., and Smith, M.W., 95.
Glacial geology. An introduction for engineers and earth scientists. Thomson, S., 149.
A landslide in till near Warman, Saskatchewan, Canada. Sauer, E.K., and Christiansen, E.A., 195.
Airphoto interpretation and the Canadian landscape. VanDine, D.F., 265.
Geologic control on soil composition and properties, Lake Ojibway clay plain, Matagami, Quebec. Quigley, R.M., Sethi, A.J., Boonsinsuk, P., Sheeran, D.E., and Yong, R.N., 491.
Electrical freezing potentials and corrosion rates in clay sludge. Hanley, T.O'D., 599.

06. Civil Engineering

- Allowable pressure from loading tests on Kuwaiti soils. Ismael, N.F., 151.

10. Ocean Engineering

- Properties of a low-swelling smectitic marine clay of interest in oil engineering. Ohtsubo, M., Egashira, K., and Takayama, M., 241.

12. Instrumentation and Measuring Techniques

- Pénétrmètre à chute libre: Impact et pénétration dans des argiles reconstituées. Levacher, D., 129.
Controlled displacement-rate *in situ* shear tests with pore pressure measurements. Shuri, F.S., Driscoll, D.D., and Garner, S.J., 136.
Full-displacement pressuremeter testing in sand. Hughes, J.M.O., and Robertson, P.K., 298.
The convergence meter. Stacey, T.R., and Wrench, B.P., 604.

14. Environmental Problems and Nature Conservation

- Distribution coefficients for strontium and cesium in overburden at a storage area for low-level radioactive waste. Johnston, H.M., Gillham, R.W., and Cherry, J.A., 6.

Canadian Geotechnical Journal

Revue canadienne de géotechnique

Volume 22 • 1985

Editor J. GRAHAM Directeur scientifique

Assistant to the Editor I. TRESTRAIL Adjointe au directeur scientifique

Associate Editors/Directeurs scientifiques associés

L. D. BAIKIE
M. BOZOUK
P. K. CHATTERJI
J. A. CHERRY
J. I. CLARK

J. LAFLEUR
C. F. LEE
G. LEFEBVRE
D. R. MCCREATH
D. E. MITCHELL

R. J. MITCHELL
J. F. NIXON
R. K. ROWE
R. N. YONG

PUBLISHING DEPARTMENT SERVICE DE PUBLICATION
at the National Research Council of Canada du Conseil national de recherches du Canada

Editor-in-chief C. T. BISHOP Directeur général

Assistant Editor-in-chief P. A. REDHEAD Directeur général adjoint

Manager B. E. DREW Directrice administrative

Publishing Supervisor S. E. JENNESS Préposé à la publication

Senior Publication Officer F. M. KAVCIC Agent supérieur à la publication

Publication Officer A. YIP Agent à la publication

Published by the
National Research Council
of Canada

Publiée par le
Conseil national de recherches
du Canada

CONTENTS/SOMMAIRE

FEBRUARY/FÉVRIER	
Instructions to authors	iii
Recommandations aux auteurs	v
ARTICLES	
D. J. Russell and J. Harman Fracture frequency in mudrocks: an example from the Queenston Formation of southern Ontario	1
H. M. Johnston, R. W. Gillham, and J. A. Cherry Distribution coefficients for strontium and cesium in overburden at a storage area for low-level radioactive waste	6
Derek V. Morris, Sydney F. Hillis, and Jack A. Caldwell Improvement of sensitive silty clay by electroosmosis	17
R. W. Humphries and L. T. Jory Underground design at Andekaleka Hydroelectric Development	25
T. C. Kenney, R. Chahal, E. Chiu, G. I. Ofoegbu, G. N. Omange, and C. A. Ume Controlling constriction sizes of granular filters	32
D. F. VanDine Debris flows and debris torrents in the Southern Canadian Cordillera	44
J. Graham and V. C. S. Au Effects of freeze-thaw and softening on a natural clay at low stresses	69
Bahaa El Sharnouby and Milos Novak Static and low-frequency response of pile groups	79
D. E. Patterson and M. W. Smith Unfrozen water content in saline soils: results using time-domain reflectometry	95
D. J. Goodings and A. N. Schofield A centrifugal model study of slope instability in Ottawa area Champlain Sea clay	102
N. M. Dubrovsky, J. A. Cherry, E. J. Reardon, and A. J. Vivurka Geochemical evolution of inactive pyritic tailings in the Elliot Lake uranium district	110
TECHNICAL NOTES/NOTES TECHNIQUES	
D. Levacher Pénétromètre à chute libre: Impact et pénétration dans des argiles reconstituées	129
F. S. Shuri, D. D. Driscoll, and S. J. Garner Controlled displacement-rate <i>in situ</i> shear tests with pore pressure measurements	136
DISCUSSIONS	
L. D. Baikie Safety factors and limit states analysis in geotechnical engineering: Discussion	143
V. U. Nguyen Safety factors and limit states analysis in geotechnical engineering: Discussion	144
G. G. Meyerhof Safety factors and limit states analysis in geotechnical engineering: Reply	145
P. W. Taylor Methods of improving the performance of drilled piers in weak rock: Discussion	145
Bill Trow Methods of improving the performance of drilled piers in weak rock: Discussion	146
R. G. Horvath, T. C. Kenney, and P. Kozicki Methods of improving the performance of drilled piers in weak rock: Reply	147
BOOK REVIEW/CRITIQUE DE LIVRE	
S. Thomson Glacial geology. An introduction for engineers and earth scientists	149
MAY/MAI	
ARTICLES	
Nabil F. Ismael Allowable pressure from loading tests on Kuwaiti soils	151
Patrick T. W. Lun and Alan K. Parkin Consolidation behaviour determined by the velocity method	158
Jan Otto Larsen, David M. McClung, and Svein Borg Hansen The temporal and spatial variation of snow pressure on structures	166
Y. P. Vaid Effect of consolidation history and stress path on hyperbolic stress-strain relations	172
E. Evgin and Z. Eisenstein Performance of an elastoplastic model	177
J. J. Paré et J. G. Lavallée Excavation d'argile sensible au site de l'aménagement hydroélectrique LG-2	186
E. Karl Sauer and E. A. Christiansen A landslide in till near Warman, Saskatchewan, Canada	195
Federico Fernandez and Robert M. Quigley Hydraulic conductivity of natural clays permeated with simple liquid hydrocarbons	205
T. C. Kenney and D. Lau Internal stability of granular filters	215
David C. Sego and Norbert R. Morgenstern Punch indentation of polycrystalline ice	226
TECHNICAL NOTES/NOTES TECHNIQUES	
M. Carter and S. P. Bentley The geometry of slip surfaces beneath landslides: predictions from surface measurements	234
Harold W. Olsen Osmosis: a cause of apparent deviations from Darcy's law	238
Masami Ohtsubo, Kazuhiko Egashira, and Masateru Takayama Properties of a low-swelling smectitic marine clay of interest in oil engineering	241
O. Hungr and S. G. Evans An example of a peat flow near Prince Rupert, British Columbia	246
T. J. Hogg and J. L. Henry The use of hydraulic rotary drill cuttings to determine salt content of sediments	249
S. Chakrabarti and R. G. Horvath Slope of consolidation lines	254
J. Bertok and K. E. Barron Vibration measurements during foundation test installation at Vancouver International Airport	258
DISCUSSION	
G. Lefebvre, P. Langlois, C. Lupien, and J.-G. Lavallée Laboratory testing and <i>in situ</i> behaviour of peat as embankment foundation: Reply	264
BOOK REVIEW/CRITIQUE DE LIVRE	
D. F. VanDine Airphoto interpretation and the Canadian landscape	265

ARTICLES

G. G. Meyerhof and V. V. R. N. Sastry	Bearing capacity of rigid piles under eccentric and inclined loads	267
R. T. Yoshida and J. Krahn	Movement and stability analysis of the Beaver Creek landslide, Saskatchewan, Canada	277
S. Thomson and B. H. Kjartanson	A study of delayed failure in a cut slope in stiff clay	286
J. M. O. Hughes and P. K. Robertson	Full-displacement pressuremeter testing in sand	298
Laval Samson	Postconstruction settlement of an expressway built on peat by precompression	308
Michael J. Bovis	Earthflows in the Interior Plateau, southwest British Columbia	313
Ghislain Lessard and James K. Mitchell	The causes and effects of aging in quick clays	335
Jennifer J. Rulon and R. Allan Freeze	Multiple seepage faces on layered slopes and their implications for slope-stability analysis	347
D. J. Folkes and J. H. A. Crooks	Effective stress paths and yielding in soft clays below embankments	357
Robert M. C. Ng and K. Y. Lo	The measurements of soil parameters relevant to tunnelling in clays	375
R. K. Rowe and K. L. Soderman	An approximate method for estimating the stability of geotextile-reinforced embankments	392

TECHNICAL NOTES/NOTES TECHNIQUES

G. G. Meyerhof and R. D. Purkayastha	Ultimate pile capacity in layered soil under eccentric and inclined loads	399
R. H. Caswell and B. Trak	Some geotechnical characteristics of fragmented Queenston Shale	403
Peter Rosenberg, Jacques Provençal, Guy Lefebvre, and J.-Jacques Paré	Influence of the groundwater on the stability of a clay bank in Baie James, Québec	409
P. J. Williams and J. A. Wood	Internal stresses in frozen ground	413

DISCUSSIONS

Akio Nakase	On stability of slopes in clays with linearly increasing strength: Discussion	417
Sivajogi D. Koppula	On stability of slopes in clays with linearly increasing strength: Reply	418
J. M. Shen and E. W. Brand	On stability of slopes in clays with linearly increasing strength: Discussion	419
Sivajogi D. Koppula	On stability of slopes in clays with linearly increasing strength: Reply	422
G. B. Fenelli and L. Picarelli	Deficient pore pressures in an eroding soil mass: Discussion	422

BOOK REVIEWS/CRITIQUES DE LIVRES

D. M. Cruden	Destructive mass movements in high mountains: hazard and management, Geological Survey of Canada Paper 84-16	426
Stuart E. Jenness	How to write and publish engineering papers and reports	427

NOVEMBER/NOVEMBRE

ARTICLES

R. Kerry Rowe and John R. Booker	Two-dimensional pollutant migration in soils of finite depth	429
Kingsley Harrop-Williams and Samuel Ejezie	Stochastic description of undrained soil strength	437
John A. Franklin and David Pearson	Rock engineering for construction of Science North, Sudbury, Ontario	443
M. K. Mohamed and T. H. Hanna	Pressure-injected anchors in sand: load and creep behaviour	456
Ashok K. Chugh and J. Lawrence Von Thun	Pore pressure response analysis for earthquakes	466
L. D. Baikle	Total and partial factors of safety in geotechnical engineering	477
R. F. Legget and K. N. Burn	Archival material and site investigations	483
R. M. Quigley, A. J. Sethi, P. Boonsinsuk, D. E. Sheeran, and R. N. Yong	Geologic control on soil composition and properties, Lake Ojibway clay plain, Matagami, Quebec	491
T. E. Little	An evaluation of steel fibre reinforced shotcrete for underground support	501
Guy Lefebvre, Karol Rohan, and Serge Douville	Erosivity of natural intact structured clay: Evaluation	508
P. K. Robertson, R. G. Campanella, P. T. Brown, I. Grof, and J. M. O. Hughes	Design of axially and laterally loaded piles using <i>in situ</i> tests: A case history	518
D. M. Cruden	Rock slope movements in the Canadian Cordillera	528
Raymond N. Yong, Prapote Boonsinsuk, and Demos Yiotis	Creep behaviour of a buffer material for nuclear fuel waste vault	541
Iain Blown and Michael Church	Catastrophic lake drainage within the Homathko River basin, British Columbia	551
J. A. Sladen, R. D. D'Hollander, and J. Krahn	The liquefaction of sands, a collapse surface approach	564
J. A. Sladen, R. D. D'Hollander, J. Krahn, and D. E. Mitchell	Back analysis of the Nerlerk berm liquefaction slides	579

TECHNICAL NOTES/NOTES TECHNIQUES

William Stewart	Uplift capacity of circular plate anchors in layered soil	589
R. G. Horvath	Multiple loading method for field testing drilled piers	592
Thos. O'D. Hanley	Electrical freezing potentials and corrosion rates in clay sludge	599
T. R. Stacey and B. P. Wrench	The convergence meter	604

DISCUSSIONS

Michael J. Bovis, Bruce Dagg, and Derek Kaye	Debris flows and debris torrents in the Southern Canadian Cordillera: Discussion	608
D. F. VanDine	Debris flows and debris torrents in the Southern Canadian Cordillera: Reply	609

Author index for Volume 22/Index des auteurs pour volume 22

AI-1

Subject index for Volume 22/Index des matières pour volume 22

SI-1

Note of appreciation/Note de reconnaissance

i

Contents for Volume 22/Sommaire pour volume 22

v

